

**Safety Data Sheet**  
Triethylene Glycol

**SECTION I - IDENTIFICATION**



Pilot Thomas Logistics  
201 North Rupert Street  
Fort Worth, TX 76107  
844-785-8326  
PERS : 1-800-633-8253 CUSTOMER #1898

**Product Number**  
**Product Name**            Triethylene Glycol  
**Synonyms**  
**CAS Number**            112-27-6  
**Date Prepared**        9/10/2009  
**Revision Number**      5/29/2014  
**Recommended Use**    Industrial Use Only

**SECTION II - HAZARDOUS IDENTIFICATION**

**GHS CLASSIFICATION:**

**Classification**

Specific target organ toxicity, single exposure, R

Category 3

**WARNING!**

**GHS LABEL:**



**Hazard Statements**

H335            May cause respiratory irritation

# Safety Data Sheet

## Triethylene Glycol

### Precautionary Statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated are.
P304+340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or a doctor/physician if you feel unwell.
P403+233	Store in a well ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to: local/regional/national/international regulations.

### SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Triethylene Glycol	112-27-6	100%	Not Established	Not Established

### SECTION IV - FIRST AID MEASURES

**Contact with eyes:** Flush with water for 15 minutes. Seek immediate medical attention.

**Skin contact:** Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Do not induce vomiting. Seek immediate medical attention. Give large quantities of water . Never give anything by mouth to an unconscious person.

### SECTION V - FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, foam, CO2, dry chemical.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** Avoid possible spontaneous combustion by proper disposal.

## Safety Data Sheet

### Triethylene Glycol

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Evacuate all unprotected personnel from the area.

**Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.  
Contain spill if it can be done with minimal risk.  
Notify proper authorities.

**Methods for Cleaning Up:** Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

#### SECTION VII - HANDLING AND STORAGE

**Handling and Storage:**

- "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
- Keep containers tightly closed when not in use.
- Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.
- NFPA Class III B storage.
- Do not redistribute empty containers.

#### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

##### EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Triethylene Glycol	112-27-6	Not Established	Not Established

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Follow accepted work practices for handling a flammable material.

##### Personal Protective Equipment (PPE)

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

**Skin Protection:** Impervious solvent resistant gloves.  
Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

**Safety Data Sheet**  
Triethylene Glycol

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Clear, Colorless Liquid
<b>Odor</b>	Mild Odor
<b>pH@25°C</b>	7.0
<b>Melting/Freezing Point</b>	-
<b>Flashpoint</b>	235°F, COC
<b>Specific Gravity</b>	1.1255
<b>Solubility</b>	100%
<b>Auto-Ignition Temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>VOC Content</b>	-
<b>Odor Threshold</b>	-
<b>Boiling Range</b>	288°C
<b>Evaporation Point</b>	Not Established
<b>Flammable Limits - Upper</b>	9.2%
<b>Flammable Limits - Lower</b>	0.9%
<b>Vapor Pressure</b>	<0.01 mmHg @ 20°C
<b>Vapor Density (Air=1)</b>	5.2 (Air=1)
<b>Viscosity</b>	-

**SECTION X - STABILITY AND REACTIVITY**

**Stability:** Stable

**Conditions to Avoid:** None

**Hazardous Decomposition/Byproducts:** CO, CO<sub>2</sub>, and noxious smoke under extreme fire conditions

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None known.

**Incompatibilities:** Strong acids and bases, strong oxidizers

# Safety Data Sheet

## Triethylene Glycol

### SECTION XI - TOXICOLOGICAL INFORMATION

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** May cause irritation to the upper respiratory tract and CNS depression. Low to moderate degree of toxicity by inhalation.

**Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.  
No harmful effects from skin adsorption are expected.

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.

#### Toxicity:

Component Name	LD50	LC50
Triethylene Glycol	Oral - rat - 17,000 mg/kg; Dermal - rabbit - > 22,500 mg/kg	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

### SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** No data available.

**BioAccumulation:** No data available.

### SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations. Not a RCRA hazardous waste if uncantaminated.

### SECTION XIV - TRANSPORT INFORMATION

#### DOT SHIPPING INFORMATION

**Safety Data Sheet**

Triethylene Glycol

**Proper Shipping Name:** Not Regulated

**Contains:**

**Hazard Class and Label:** 0

**Identification Number:**

**Packaging Group:**

**Other Shipping Info:**

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

**SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:**

Acute	Chronic	Fire	Pressure	Reactive
X	X			

**SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

No chemicals in this material are subject to the reporting requirements.

**CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

**CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

**SECTION XVI - OTHER INFORMATION**

**HMIS Health:** ..... 1

**HMIS Flammability:** ..... 1

**HMIS Reactivity:** ..... 0

**Additional:**

# Safety Data Sheet

## Triethylene Glycol

### Specification Information

**Training necessary:** Employee Training: See Section 2 (Hazards Identification). Employees should be made aware of all hazards of this material (as stated in this SDS) before handling it.

### Disclaimer:

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.